





















# hdavis pne

Based on Hospital Process Of Care Measures - Pneumonia

Provider Number	Percent of Pneumonia Patients Given Initial Antibiotic(s) within 6 Hours After Arrival	Number of Patients 1	Percent of Pneumonia Patients Whose Initial ER Blood Culture Was Performed Prior To Administration Of First Dose Of Antibiotics	Number of Patients 2
150022	 99%	87	 95%	60
150003	 97%	102	 99%	83
150109	 93%	71	 95%	44
151312	 97%	76	 90%	71

# hdavis pne

Based on Hospital Process Of Care Measures - Pneumonia

Percent of Pneumonia Patients Given Smoking Cessation Advice/Counseling	Number of Patients 3	Percent of Pneumonia Patients Given the Most Appropriate Initial Antibiotic(s)	Number of Patients 4	Percent of Pneumonia Patients Assessed and Given Influenza Vaccination	Number of Patients 5
 100%	17	 88%	67	 87%	47
 100%	39	 86%	71	 95%	85
 100%	27	 85%	46	 96%	54
 94%	33	 86%	59	 57%	47

# hdavis pne

Based on Hospital Process Of Care Measures - Pneumonia

Percent of Pneumonia Patients Assessed and Given Pneumococcal Vaccination	Number of Patients 6
78%	69
91%	131
87%	70
85%	59